

REFLECT STONE ENHANCER/SEALER REVOLUTION STONE PRODUCTS

REFLECT Stone Enhancer is a high performance, natural stone enhancer/sealer for honed & textured, and unpolished natural stone. Formulated with the latest solvent-based enhancers and acrylic technologies to protect and enhance against all oil & water-based stains.

PRODUCT BENEFITS:

- Latest solvent-based acrylic technology
- High performing, enhancer/sealer that protects against all stains
- Nearly Odorless
- FDA compliant solvent
- Interior and exterior use
- Provides High Gloss slip resistant appearance

Directions:

Always test in inconspicuous area, allowing for a full 24 hour cure time to determine the desired result. Allow new grout installations to cure as directed (at least 24 hours). Make sure surface is clean, dry and clear of waxes and coatings.

- 1) Mask off any areas not intended to be treated.
- 2) Remove any dirt and debris.
- 3) Make sure all topical or wax finishes have been removed and is clean and residue free.
- 4) Revolution Stone Products Reflect Stone Enhance with built in protection can be applied using a roller or paint brush.
- 5) Apply a light even coat over the entire surface. **DO NOT ALLOW SEALER TO PUDDLE.** Allow surface to dry.
- 6) Apply additional coats as needed to preferred sheen (gloss).
- 7) Do not apply more than two coats.
- 8) Coverage 200-400 square feet per gallon.

Coverage and Expected Wear:

Depending on type of stone and method of application

Coverage: 200 – 1500 sq. ft. per gallon

with proper care

Expected Wear: Interior 3-5 years; Exterior 1-3 years

Proper Stone Maintenance:

To properly maintain your natural stone use REVOLUTION stone products natural stone cleaners depending on application.

CAUTION:

Combustible. Keep container closed and store in a cool environment. May cause eye and skin irritation. Use in well ventilated area. **DO NOT AEROSOLIZE.**

For use on:	Honed Granite	Travertine
	Honed Marble	Sandstone
	Limestone	Flagstone
	Saltillo	Flamed Stone
	Slate	Clay Products
	Tumbled Stone	Textured Stone

Available Sizes:	Quart
	Gallon
	5 Gallon
	55 Gallon Drum

Material Safety Data Sheet
REVOLUTION Stone Products
REFLECT STONE ENHANCER

Section 1 – Product Identification

Product Name: Revolution Stone Products
Reflect Stone Enhancer

Produced By: Plastic Associates Mfg., Inc. 3894 Oakcliff Industrial Ct. Doraville, GA 30340 - 1-800-316-3857

Section 2 – Components

Ingredient	CAS#	WT%	OSHA PEL	ACGIH TLV
Petroleum Distillates	64742-95-6		150 ppm	150 ppm
Fluoropolymer	Proprietary		N/E	N/E

Section 3 – Health Hazard Data

Chronic Effects of Overexposure: No known applicable information

Acute Effects of overexposure:

Ingestion: May irritate stomach. May be aspirated into the lung if swallowed, resulting in pulmonary edema and chemical pneumonitis. Skin: Mild irritant

Inhalation: May cause headache, dizziness, nausea, and unconsciousness. Eye: Mild irritant

Section 4 – Emergency First Aid Procedures

Ingestion: Do not induce vomiting. Call poison control and call a physician.

Inhalation: Seek fresh air. If unconscious, give artificial respiration and seek medical attention

Eye Contact: Immediately flush with large amounts of water for at least 15 minutes and call physician.

Skin Contact: Remove contaminated clothing and wash before reuse. Wash with soap and water.

Section 5 – Fire and Explosion Data

Flash Point: 145 degrees F Auto Ignition: N/A Combustible Liquid Class II-A

Extinguishing Agents: Dry Chemical, Carbon Dioxide, Foam or Water spray

Special Fire Fighting Procedures: Evacuate personnel to safe area. Avoid breathing decomposition products. Shut off source if possible. Use NIOSH or MSHA approved breathing apparatus.

Hazardous Decomposition or Combustion: Carbon Monoxide, carbon dioxide, hydrogen fluoride, silicon dioxide.

Unusual Fire and Explosion Hazards: A combustible liquid can form combustible mixtures at temperatures at or above flash point.

Material can accumulate static which can cause an incendiary electrical charge.

Section 6 – Accidental Release Measures

Procedure for cleanup: Eliminate all ignition sources. Leaks should be stopped. Spills should be contained and cleaned up immediately. Evacuate unnecessary personnel. Small spills may be soaked up with compatible absorbent materials, which should be placed in closed container outdoors.

Section 7 – Handling and Storage

Keep container closed. Store in a cool, well ventilated place. Do not handle or store near an open flame, heat or other source of ignition. Use ground strap while dispensing from metal drums.

Section 8 – Exposure Control and Personal Protection

Respiratory: Not normally needed. If vapor concentration becomes high, use NIOSH approved respirator. DO NOT AEROSOLIZE

Section 9 – Physical/Chemical Characteristics

Form: Liquid	Appearance: Light Amber	Specific Gravity: 0.8	Solubility in water: Negligible
Evaporation: < 1	Odor: Mild hydrocarbon	Boiling Point: 320 degrees F	Water Reactivity: None

Section 10 – Stability and Reactivity

Stability: Stable – Polymerization will not occur Incompatibility: Oxygen; Strong oxidizing agents

Section 11 – Toxicological Information & Section 12 Ecological Information

Please call toll free number in Section 1 if information is required

Section 13 – Disposal Considerations

Dispose of products only by approved methods of federal, state, and local regulations

Section 14 – Transport Information

For transportation accidents call CHEMTREC @ 1-800-424-9300. Transportation Data/DOT

Shipping Description: Hydrocarbon Liquid, N.O.S., 3, UN 3295, III

Note – Containers containing less than 119 gallons are not regulated by DOT

Section 15 – This product is in compliance with the U.S. Toxic Substance Control Act (TSCA) inventory requirement.

Section 16 – Format and Preparation complies with ANSI Z400.1-1993

Revision date: 02/22/06. Supersedes any prior versions

We believe said statements, technical information and recommendations contained herein are reliable. Statements contained herein are given without any guarantee or warranty of any kind, express or implied and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.